AGRICULTURE

PRODUCT GUIDE



WORK HARD. WORK COMFORTABLY.





AGRICULTURE &



SERIES 606/706

The updated 606 & 706 series behind-the-seat suspension features redesigned spring and shock geometry to dramatically enhance functionality with reduced spring rate, increased durability and a lower SIP.













| | SERIES NUMBER | 606 | 706 |
|----------------|---|---------|---------|
| | PART NUMBER | SA20455 | SA20491 |
| CEAT TOD | Height adjustable backrest, non-recline | • | • |
| SEAT TOP | Black PVC cushions | • | • |
| | Mechanical | • | • |
| | Suspension stroke 108mm | • | • |
| SUSPENSION | Manual weight adjust 45 - 150kg | • | • |
| | Height adjust 60mm | • | • |
| | Fixed shock absorber | • | • |
| OTHER FEATURES | Fore/aft slide adjust 152mm travel | • | • |
| | Operator presence switch | 0 | 0 |
| | Seat belt | 0 | 0 |
| | Document holder | 0 | 0 |

• STANDARD O DEALER FIT OPTION







FORE & AFT SLIDE TRAVEL ADJUSTMENT

HEIGHT ADJUSTMENT

₩ WEIGHT ADJUSTMENT



SERIES 608/708/908

This ergonomically contoured, one-piece cushion and steel back pan is the last word in reliability. Paired with our high performance mechanical suspension, this seat absorbs shock to keep operators healthy and comfortable.




*908 MODEL SHOWN







| | SERIES NUMBER | 608 | 708 | 908 | 908 |
|----------------|------------------------------------|---------|---------|---------|-------------|
| | PART NUMBER | SA20453 | SA20489 | SA22276 | SA20459.400 |
| | Fixed backrest non-recline | • | • | • | • |
| SEAT TOP | Black PVC cushions | • | • | • | - |
| | Fabriform cushions (pour in place) | - | - | - | • |
| | Compact mechanical | • | • | • | • |
| | Suspension stroke 130mm | • | • | • | • |
| SUSPENSION | Manual weight adjust 45- 130kg | • | • | • | • |
| | Height adjust 60mm | • | • | • | • |
| | Fixed shock absorber | • | • | • | • |
| | Armrests - tilt-up | - | - | • | • |
| OTHER FEATURES | Fore/aft slide adjust 152mm travel | • | • | • | • |
| | Combined slide/ fore aft isolator | 0 | 0 | 0 | 0 |
| | Operator presence switch | 0 | 0 | 0 | 0 |
| | Seat belt | 0 | 0 | 0 | 0 |
| | Document holder | 0 | 0 | 0 | 0 |

[•] STANDARD • DEALER FIT OPTION







FORE & AFT SLIDE TRAVEL ADJUSTMENT

HEIGHT ADJUSTMENT



The 930 offers a durable, one-piece seat cushion and steel pan with compact air suspension for the excellent vibration mitigation in compact applications.




*930 MODEL SHOWN









[•] STANDARD O DEALER FIT OPTION







FORE & AFT SLIDE TRAVEL ADJUSTMENT

HEIGHT/WEIGHT ADJUSTMENT



The durable, one-piece mid-back seat top structure of the 1400 seat can be paired with the rugged compact mechanical suspension or the comfort-enhancing compact air suspension.




*1430 MODEL SHOWN





| | SERIES NUMBER | 1408 | 1408 | 1430 | 1430 | 1430 |
|----------------|------------------------------------|---------|-------------|---------|-------------|-------------|
| | PART NUMBER | SA22275 | SA20463.400 | SA20411 | SA20403.400 | SA26411.400 |
| | Fixed backrest non-recline | • | • | • | • | • |
| SEAT TOP | Black PVC cushions | • | - | • | _ | _ |
| | Fabriform cushions (pour in place) | _ | • | - | • | • |
| | Compact mechanical | • | • | - | - | - |
| | Compact air | - | - | • | • | • |
| SUSPENSION | Suspension stroke 130mm | • | • | • | • | • |
| | Manual weight adjust 45 - 130kg | • | • | - | - | - |
| | Manual weight adjust 45 - 180kg | _ | - | • | • | • |
| | Height adjust 60mm | • | • | • | • | • |
| | Fixed shock absorber | • | • | • | • | • |
| OTHER FEATURES | Armrests - tilt-up | • | • | • | • | • |
| | Fore/aft slide adjust 152mm travel | • | • | • | • | • |
| | Combined slide/fore aft isolator | 0 | 0 | 0 | 0 | • |
| | Operator presence switch | 0 | 0 | 0 | 0 | 0 |
| | Seat belt | 0 | 0 | 0 | 0 | 0 |
| | Document holder | 0 | 0 | 0 | 0 | 0 |

[•] STANDARD O DEALER FIT OPTION





The versatile series 3008 suspension seat top offers high-performing comfort features in a cost effective package. Complete with the durable compact mechanical suspension the 3008 is designed to absorb shock and keep drivers healthy and comfortable.




*3008 MODEL SHOWN








| | SERIES NUMBER | 3008 | 3008 | 3008 |
|----------------|--------------------------------------|-------------|-------------|-------------|
| | PART NUMBER | SA20464.100 | SA24121.400 | SA20464.102 |
| | Backrest recline adjustment | • | • | • |
| 0547.700 | Black PVC cushions | • | - | - |
| SEAT TOP | Fabriform cushions (pour in place) | - | • | • |
| | Lumbar - mechanical | • | • | • |
| | Compact Mechanical | • | • | • |
| | Suspension stroke 130mm | • | • | • |
| SUSPENSION | Manual weight adjust 45- 130kg | • | • | • |
| | Height adjust 60mm | • | • | • |
| | Fixed shock absorber | • | • | • |
| OTHER FEATURES | Armrests - tilt-up and height adjust | • | • | • |
| | Fore/aft slide adjust 152mm travel | • | • | • |
| | Combined slide/fore aft isolator | 0 | 0 | • |
| | Operator presence switch | 0 | 0 | 0 |
| | Seat belt | 0 | 0 | 0 |
| | Document holder | 0 | 0 | 0 |

[•] STANDARD O DEALER FIT OPTION









LUMBAR ADJUSTMENT

HEIGHT ADJUSTMENT

FORE & AFT SLIDE TRAVEL ADJUSTMENT

❷ WEIGHT ADJUSTMENT



Exceptional comfort in a cost effective package, the series 3030 product range incorporates the popular series 3000 seat top with a compact 30 series air suspension. Ergonomically designed, easily serviceable seat cushions with back recline adjustment and fitted armrests ensure all-day comfort.



*D3030 MODEL SHOWN



0





0


0




• STANDARD O DEALER FIT OPTION

Seat belt

Document holder







CUSHION, FORE & AFT ADJUSTMENT

FORE & AFT SLIDE TRAVEL ADJUSTMENT



UMBAR ADJUSTMENT

SWIVEL ADJUSTMENT



The 3045 series is the top-of-the-line for small to medium vehicle applications. The 3000 seat top offers innovative features and exceptional comfort when paired with the popular 45 series LP, low natural frequency air suspension.



*D3045 MODEL SHOWN














| | SERIES NUMBER | 3045 | 3045 | D3045 |
|----------------|--------------------------------------|-------------|-------------|-------------|
| | PART NUMBER | SA24119.400 | SA24117.400 | SA24118.400 |
| | Backrest recline adjustment | • | • | • |
| | Fabriform cushions (pour in place) | • | • | • |
| SEAT TOP | Integrated Adjustable Upper Backrest | - | - | • |
| | Seat cushion length adjust - 35mm | - | - | • |
| | Lumbar - mechanical | • | • | • |
| | Low Natural Frequency Air Suspension | • | • | • |
| | Suspension stroke 156mm | • | • | • |
| | Manual height/weight adjustment | • | • | - |
| SUSPENSION | Auto height/weight adjustment | - | - | • |
| | Operator Weight Range 45-200 kg | • | • | • |
| | Integrated fore/aft isolator | • | • | • |
| | Fixed shock absorber | • | • | • |
| | Armrests - tilt-up and height adjust | • | • | • |
| | Swivel adjust - 20° L and 20° R | - | • | • |
| | Fore/aft slide adjust 152mm travel | • | • | • |
| OTHER FEATURES | Lateral isolator module | 0 | 0 | 0 |
| | Operator presence switch | 0 | 0 | • |
| | Seat belt | 0 | 0 | 0 |
| | Document holder | 0 | 0 | 0 |
| | Universal multi-fix adaptor plate | • | • | • |

• STANDARD O DEALER FIT OPTION







* RECLINE ADJUSTMENT

CUSHION, FORE & AFT ADJUSTMENT

✓ ISOLATION, FORE & AFT CONTROL

FORE & AFT SLIDE TRAVEL ADJUSTMENT

HEIGHT ADJUSTMENT

LUMBAR ADJUSTMENT

SWIVEL ADJUSTMENT



Ideally suited for medium to high horsepower vehicle applications, the series 5500 offers premium levels of comfort and a host of features.

The series 5500 product range incorporates a premium seat top together with a low natural frequency LP air suspension with a host of deluxe options to optimize comfort and help make the working day a much more comfortable experience in all operating conditions.



*D5575 MODEL SHOWN

Backrest recline adjust

Adjustable shock absorber

Auto height/weight adjust

Fully adjustable armrests

Swivel adjust - 180 deg

Seat belt

100 +

Document holder

FORE/AFT SLIDE TRAVEL

Armrest mounted suspension control Swivel adjust - 24 deg L, 24 deg R

Fore/aft slide adjust 200mm travel Operator presence switch



D5575


•

0

0

•





5545

0

0

•

SERIES NUMBER

5545

0

0

PART NUMBER SA30580.400 SA34372.400 SA30582.400 SA30581.400 SA30583.400

D5565

0

0

•

D5575

0

0


•


642±13 -

560±13 -















| OTHER FEATURES | ŀ |
|----------------|---|
| | F |









■ DAMPING ADJUSTMENT

RECLINE ADJUSTMENT

EU CUSHION, FORE & AFT ADJUSTMENT

✓ ISOLATION, FORE & AFT CONTROL

FORE & AFT SLIDE TRAVEL ADJUSTMENT

ADAPTER PLATE

260 270

HEIGHT/WEIGHT ADJUSTMENT

LUMBAR ADJUSTMENT

SEAT HEATER CONTROL

SWIVEL ADJUSTMENT

CUSHION TILT ADJUSTMENT



SERIES **D5580**

The deluxe D5580 series offers premium comfort and enhanced options to ensure maximum levels of comfort and support. Combined with an ultra low frequency, high performance, VIS air suspension vibration is significantly reduced to improve health and well-being of operators.




*D5580 MODEL SHOWN








Universal multi-fix adaptor plate





DAMPING, ADJUSTMENT

* RECLINE ADJUSTMENT

CUSHION, FORE & AFT ADJUSTMENT

ISOLATION, FORE & AFT CONTROL

SEAT HEATER CONTROL

FORE & AFT SLIDE TRAVEL ADJUSTMENT

HEIGHT/WEIGHT ADJUSTMENT

LUMBAR ADJUSTMENT

SWIVEL ADJUSTMENT

U CUSHION TILT ADJUSTMENT



SERIES **D5585/D5595**

Ideally suited for high horsepower agricultural applications, this series offers the premium 5500 seat top together with an extra wide, low natural frequency, passive or ActiveVRS air suspension. The wide suspension improves stability and the integrated fore/aft and lateral isolation package further protects operators from all vehicle vibrations.



*D5595 MODEL SHOWN

Backrest recline adjust

D5585

SA48188.185

D5595

SA37233.185







| | Cut & sew fabric cushions | • | _ | _ |
|----------------|---|---|---|---|
| | Cut & sew leather cushions | - | • | • |
| | Integrated adjustable upper backrest | • | • | • |
| SEAT TOP | Seat cushion length and angle adjust | • | • | • |
| | Heated cushions | • | _ | - |
| | Heat & ventilation system | - | • | • |
| | Electric air lumbar | • | • | • |
| | Extra wide low natural frequency air suspension | • | • | • |
| | Suspension stroke 178mm | • | • | • |
| | "Active VRS" rheological air suspension | - | - | • |
| SUSPENSION | Adjustable shock absorber | • | • | • |
| | Operator weight range 45-200kg | • | • | • |
| | Integrated fore/aft isolator | • | • | • |
| | Integrated lateral isolator | • | • | • |
| | Fully adjustable armrests | • | • | • |
| | Armrest mounted suspension control | • | • | • |
| OTHER FEATURES | Swivel adjust - 24 deg L, 24 deg R | • | • | • |
| | Fore/aft slide adjust 200mm travel | • | • | • |
| | Operator presence switch | • | • | • |
| | Seat belt | 0 | 0 | 0 |
| | Document holder | • | • | • |


SERIES NUMBER

PART NUMBER

D5585

SA30589.175

• STANDARD O DEALER FIT OPTION







♣ RECLINE ADJUSTMENT

CUSHION, FORE & AFT ADJUSTMENT

ISOLATION, FORE & AFT CONTROL

FORE & AFT SLIDE TRAVEL ADJUSTMENT

SEAT HEATER CONTROL

HEIGHT/WEIGHT ADJUSTMENT

isolation, Lateral Control

LUMBAR ADJUSTMENT

SWIVEL ADJUSTMENT

USHION TILT ADJUSTMENT



SERIES **D5590**

The D5590 stands as the pinnacle of health and comfort technology for agriculture applications. The premium comfort features of the 5500 seat top married with the advanced LP air ActiveVRS suspension provide the ultimate in-cab experience for medium to large agriculture equipment.



*D5590 MODEL SHOWN

Operator presence switch

Universal multi-fix adaptor plate

Seat belt


Document holder

D5590

0

0





SERIES NUMBER


D5590

0

0



[•] STANDARD O DEALER FIT OPTION





SERIES D8500

The 8500 seat top is a high backrest seat top perfect for medium to large harvester applications. Complete with the popular 75 series low natural frequency LP air suspension, the 8575 offers a number of deluxe adjustments designed to optimize comfort and minimize vibration for all-day comfort.



*D8575 MODEL SHOWN



D8575

0

0



| | PART NUMBER | SA34385.400 | SA34384.400 |
|----------------|---|-------------|-------------|
| | High backrest with recline adjust | • | • |
| | Fabriform cushions (pour in place) | • | • |
| | Height adjustable articulating headrest | 0 | 0 |
| SEAT TOP | Seat cushion length and angle adjust | • | • |
| | Heated cushions | - | • |
| | Mechanical lumbar | _ | _ |
| | Electric air lumbar | • | • |
| | Low natural frequency air suspension | • | • |
| | Suspension stroke 156mm | • | • |
| | Fixed shock absorber | - | - |
| SUSPENSION | Adjustable shock absorber | • | • |
| SUSPENSION | Auto height/weight adjust | • | • |
| | Operator weight range 45-200 kg | • | • |
| | Integrated fore/aft isolator | • | • |
| | Lateral isolator module | 0 | 0 |
| | Fully adjustable armrests | • | • |
| | Armrest mounted suspension control | • | • |
| | Swivel adjust - 24 deg L, 24 deg R | • | • |
| OTHER FEATURES | Fore/aft slide adjust 200mm travel | • | • |
| OTHER FEATURES | On avatav avaaan as avvitale | _ | _ |

SERIES NUMBER


D8575

0

0

•






Operator presence switch

Universal multi-fix adaptor plate

Seat belt

Document holder





* RECLINE ADJUSTMENT

EM CUSHION, FORE & AFT ADJUSTMENT

✓ ISOLATION, FORE & AFT CONTROL

SEAT HEATER CONTROL

HEIGHT/WEIGHT ADJUSTMENT

**# LUNDAD ADUICTMENT

UMBAR ADJUSTMENT

SWIVEL ADJUSTMENT

WHY SEARS SEATING

With five generations of experience, Sears is a leading global seat supplier for the work vehicle industry. To meet the ever-changing needs of the marketplace, we deliver outstanding operator comfort and health through collaborative relationships and unsurpassed commitment to the agriculture, construction, forestry, industrial, turf care and over-the-road markets worldwide.

Sears Seating Europe

Unit 42 Rassau Industrial Estate Ebbw Vale, Gwent NP23 5SD United Kingdom P +44 1495 304518

